## SEQUENCE LISTING

```
<110> OOE, Norihasa
      MATSUNAGA, Haruyuki
<120> CELL FOR MEASURING THE ABILITY TO CONTROL THE ACTIVITY
      OF A LIGAND-RESPONSIVE TRANSCRIPTION CONTROL FACTOR
<130> 2185-0424P
<140> 09/550,173
<141> 2000-04-14
<150> JP H11-106791
<151> 1999-04-14
<150> JP H11-106792
<151> 1999-04-14
<150> JP H11-106793
<151> 1999-04-14
<150> JP H11-107774
<151> 1999-04-15
<160> 34
<170> PatentIn Ver. 2.1
<210> 1
<211> 6
<212> DNA
<213> Unknown Organism
<220>
<223> Description of Unknown Organism: consensus
      sequence of a dioxin-responsive sequence
<220>
<221> Unsure
<222> (1)..(1)
<223> n = t or a
<300>
<303> J. Biol. Chem.
<304> 271
<306> 3952-3958
<307> 1996-02-01
<400> 1
ngcgtg
                                                                    6
<210> 2
<211> 16
<212> DNA
```

<213> Unknown Organism

<220> <223>	Description of Unknown Organism: consensus sequence of an estrogen-responsive sequence	
<222>	Unsure (7)(9) n = a,c,g,t any unknown or other.	
<400> aggtca	2 annnt gacctt	16
<210><211><211><212><213>	20	
<220> <223>	Description of Artificial Sequence:primer for PCR with human genomic DNA.	
<400> ttgago	3 ctagg cacgcaaata	20
<210><211><211><212><213>	20	
<220> <223>	Description of Artificial Sequence:primer for PCR with human genomic DNA	
<400> gctttg	4 gattg gcagagcaca	20
<210><211><211><212><213>	51 DNA	
<220> <223>	The sequence is composed of nucleotide sequences derived from a nucleotide sequence near the TATA box of a mouse metallothionein I gene. The sequence is introduced into mouse and human cells.	
<400> gatcto	5 egact ataaagaggg caggetgtee teaagegtea eeaegaette a	51
<210> <211>		

<212> <213>	mouse	
<220> <223>	The sequence is composed of nucleotide sequences derived from a nucleotide sequence near the TATA box of a mouse metallothionein I gene. The sequence is introduced into mouse and human cells.	
<400> agctto	6 gaagt cgtggtgacg cttagaggac agcctgccct ctttatagtc ga	52
<210><211><211><212><213>	33	
<220> <223>	The sequence is located at the upstream of a Xenopus-derived vitellogenin gene containing a recognition sequence of an estrogen receptor. The sequence is introduced into mouse and human cells.	
<400> tcgaca	7 aaagt caggtcacag tgacctgatc aag	33
<210><211><211><212><213>	31	
<220> <223>	Description of Artificial Sequence:primer for PCR with pTK beta	
<400> cggcac	8 satct tetttagtte tatgatgaca e	31
<210><211><211><212><213>	29	
	Description of Artificial Sequence:primer for PCR with pTK beta	
<400> cggaag	9 cttg atctgcggca cgctgttga	29
<210> <211> <212>	35	

<213	> Artificial Sequence	
<220		
	<pre>&gt; Description of Artificial Sequence:primer for PCR   with human cDNA</pre>	
	WICH Malifall CDNA	
<400		
cctg	ogggga caeggtetge accetgeeeg eggee	35
<210	> 11	
<2112	> 35	
<212>		
<213>	Artificial Sequence	
<220>	•	
	Description of Artificial Sequence:primer for PCR	
	with human cDNA	
<400>		
cayyy	agete teagactgtg geagggaaae eetet	35
<210>		
<211>		
<212>		
\Z13/	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence:primer for	
	adding Kozak consensus sequence to human cDNA	
<400>	12	
	ccacc atgaccatga coctocacac caaagcatct	40
	, and analyses of	40
<210×	13	
<210> <211>		
<212>		
	Artificial Sequence	
<220>		
<b>\</b> 223>	Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
	adding Rozak Consensus sequence to numan CDNA	
<400>	13	
caggg	agctc tcagactgtg gcagggaaac cctct	35
<210>	14	
<211>		
<212>	DNA	
<213>	Artificial Sequence	
<220°		
<220>	Description of Artificial Commence :	
12437	Description of Artificial Sequence:primer for PCR with human cDNA	
	The state of the s	

<400> 14 ttgagttact gagtccgatg aatgtgcttg ctctg	35
<210> 15 <211> 35 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence:primer for PCR with human cDNA	
<400> 15 aaatgaggga ccacacagca gaaagatgaa gccca	35
<210> 16 <211> 55 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> 16 gccgcggccg cccagccacc atggatataa aaaactcacc atctagcctt aattc	55
<210> 17 <211> 43 <212> DNA <213> Artificial Sequence <220>	
<223> Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> 17 gggtctagaa atgagggacc acacagcaga aagatgaagc cca	43
<210> 18 <211> 52 <212> DNA <213> mouse	
<220> <223> The sequence is derived from a nucleotide sequence near the TATA box of a mouse metallothionein I gene. The sequence is used for human cells. The sequence is introduced into human cells.	
<400> 18 gatctcgact ataaagaggg caggctgtcc tctaagcgtc accacgactt ca	52

<210> 19 <211> 52 <212> DNA <213> mouse		
near t gene.	quence is derived from a nucleotide sequence he TATA box of a mouse metallothionein I The sequence is used for human cells. The ce is introduced into human cells.	
<400> 19 agcttgaagt c	gtggtgacg cttagaggac agcctgccct ctttatagtc ga	5 <i>2</i>
<210> 20 <211> 35 <212> DNA <213> Artifi	cial Sequence	
	ption of Artificial Sequence:primer for PCR uman cDNA	
<400> 20 gaggcggggt a	agggaagta ggtggaagat tcagc	35
<210> 21 <211> 35 <212> DNA <213> Artific	cial Sequence	
	ption of Artificial Sequence:primer for PCR uman cDNA	
<400> 21 gggtggggaa at	tagggtttc caatgcttca ctggg	35
<210> 22 <211> 40 <212> DNA <213> Artific	cial Sequence	
	ption of Artificial Sequence:primer for Kozak consensus sequence to human cDNA	
<400> 22 cccagccacc at	tggaagtgc agttagggct gggaagggtc	40
<210> 23		

<211> 35	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> 23	
gggtggggaa atagggtttc caatgcttca ctggg	35
	20
<210> 24	
<211> 38	
<212> DNA	
<213> mammal	
<220>	
<223> The sequence is containing a recognition sequence	
(TRE) of a thyroid receptor. The sequence is introduced into human cells.	
<400> 24	
caaggggatc cagcttgacc tgacgtcagg tcaagtcg	20
	38
<210> 25	
<211> 52	
<212> DNA	
<213> mouse	
<220>	
<223> The sequence is derived from a nucleotide sequence	
near the TATA box of a mouse metallothionein I	
gene. The sequence is introduced into human cells.	
<400> 25	
gatetegaet ataaagaggg eaggetgtee tetaagegte accaegaett ca	52
<210> 26	
<211> 52 <212> DNA	
<213> mouse	
<220>	
<223> The sequence is derived from a nucleotide sequence	
near the TATA box of a mouse metallothionein I	
gene. The sequence is introduced into human cells.	
<400> 26	
agettgaagt egtggtgaeg ettagaggae ageetgeeet etttatagte ga	52
<210> 27	
<211> 37	
<212> DNA	

1213	artificial Sequence	
<220 <223	> Description of Artificial Sequence:primer for PCR with human cDNA	
	> 27 attgaa gtgaatggaa cagaagccaa gcaaggt	37
<220 <223	> > Description of Artificial Sequence:primer for PCR with human cDNA	
<400 tggc	> 28 cgcctg aggctttaga cttcctgatc ctcaa	35
<220> <223>	> Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> cccag	> 29 gccacc atggaacaga agccaagcaa ggtggagtgt	40
<210><211><211><212><213>	35	
<220> <223>	Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> tggcc	30 geetg aggetttaga etteetgate eteaa	35
<210><211><211><212><213>	35	
<220> <223>	Description of Artificial Sequence:primer for PCR with human cDNA	

<210> 32	
<211> 35 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence:primer for PCR with human cDNA	
<400> 32 cagtctaatc ctcgaacact tccaggaaca aaggg	35
<210> 33 <211> 40 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> 33 cccagccacc atgacagaaa atggccttac agcttgggac	40 .
<210> 34 <211> 35 <212> DNA <213> Artificial Sequence	
<220> <223> Description of Artificial Sequence:primer for adding Kozak consensus sequence to human cDNA	
<400> 34 cagtctaatc ctcgaacact tccaggaaca aaggg	35

- 1 - 2 - 1 - 2 - 1 - -